

SKIN REJUVENATION COMPARISON CHART

Supplier Product Name	Device Type	Wavelength (nm)	Energy Output (Joules)	Pulse Length	Price	Accessories
Aerolase						
LightPod Era	Er:YAG	2940 nm	Up to 180 J	0.3 ms	\$43,500	Portable (22 lbs.), powerful and pain free. No costly disposables or service calls required.
LightPod Neo XT	Nd:YAG	1064 nm	Up to 1274 J	0.65 or 1.5 ms	\$46,500	Same as above.
Aesthera						
Isolaz	Photopneumatic	N/A	N/A	N/A	Contact mfr.	Multi-application (SR, acne, HR). FDA cleared. No pain.
Alma Lasers						
Harmony	AFT Pulsed Light	515 – 950 nm	5 – 20 J/cm ²	10, 12, 15 ms	Starting at \$54,900	SVL module, 40 x 16 mm spot, depot service.
		540 – 950 nm	5 – 20 J/cm ²	10, 12, 15 ms		VP module, 40 x 16 mm spot, depot service.
		570 – 950 nm	5 – 20 J/cm ²	10, 12, 15 ms		SR module, 40 x 16 mm spot, depot service.
	Near-Infrared	780 – 950 nm	70 – 630 J/cm ²	10, 30, 90 sec		ST module, 40 x 16 mm spot, depot service.
	Nd:YAG	1064 nm, 1320 nm	30 – 450 J/cm ² , 5 – 40 J/cm ²	10, 40, 60 ms, 30, 40, 50 ms		1064 module. 1320 module.
	Er:YAG Pixel 2940	2940 nm 2940 nm	200 – 1200 mJ/p 1400 mJ/p	1 – 350 μs N/A		2940 module. Pixel 2940 module.
Candela						
Vbeam Aesthetica	Pulsed Dye	595 nm	Up to 20 J/cm ²	0.45 – 40 ms	\$79,900	Spot sizes up to 10 mm, two pigmented lesion handpieces; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy.
Vbeam Perfecta	Pulsed Dye	595 nm	Up to 40 J/cm ²	0.45 – 40 ms	\$96,500	Six spot sizes up to 12 mm, including 3 x 10 elliptical and pigmented lesion handpieces; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy.
GentleLASE (Various models)	Alexandrite	755 nm	Up to 100 J/cm ²	3 ms	\$79,900 to \$98,500	Spot sizes 6-18 mm; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy.
Smoothbeam	Diode	1450 nm	Up to 25 J/cm ²	210 ms	\$59,900	Spot sizes 4 - 6 mm; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy.
GentleYAG (Various models)	Nd:YAG	1064 nm	Up to 600 J/cm ²	0.25 – 300 ms	\$79,900 to \$109,900	Spot sizes 1.5 – 18 mm; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy.
GentleMax Configurable Workstation	Alexandrite / Nd:YAG	755 nm / 1064 nm	Up to 600 J/cm ²	0.25 – 300 ms	\$134,000-\$200,000	Spot sizes 1.5 – 18 mm; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy, air cooling available. Upgradable.
SmoothPeel	Erbium:YAG	2940 nm	Max energy 750 mJ	2, 4, 6 Hz	\$39,900	Spot sizes 5 and 9 mm.
CoolTouch						
CT3 PLUS	Nd:YAG	1320 nm	Up to 24 J/cm ²	50 ms to continuous	\$54,995	10 mm spot size. Pulsed pre-, mid- and post-cryogen cooling. Treats wrinkles, acne and acne scars. New painless skin tightening mode for patient comfort.
Cutera						
CoolGlide Vantage	Nd:YAG	1064 nm	Up to 300 J	0.1 – 300 ms	\$110,000	Treats all skin types. Skin tightening. Proven efficacy. No gel (1064, 560, 600), direct contact (pulsed light, Titan).
Xeo	Long Pulse Nd:YAG / Intelligent Pulsed Light / Infrared / 2790 YSGG	1064 nm / 560 – 1200 nm, 600 – 850 nm / 1100 – 1800 nm / 2790 nm	Up to 300 J / 5 – 20 J, 6 – 40 J / 5 – 65 J / 3.5 J	0.1 – 300 ms / Automatic (pulsed light) / 4 – 11 sec / Variable	Contact mfr.	Sustained deep dermal heating. Treats all skin types. Large 10 x 30 mm sapphire window for faster treatments. 2790 targets fine lines, photodamage, one to two treatments, no disposables.
Solera Opus	Intelligent Pulsed Light	560 – 1200 nm, 600 – 850 nm	5 – 20 J, 6 – 40 J	Automatic (pulsed light)	\$65,000	Real time calibration. Large spot size for fast treatments. No numbing cream or gel required.
Cynosure, Inc.						
Affirm	Nd:YAG with CAP Xenon Pulsed Light / Erbium:YAG	1440 nm / 1320 nm / 560 – 950 nm / 2940 nm	8 J/cm ² / 14 J/cm ² / 1 – 5 J/cm ²	3 ms / 5 – 35 ms / 0.5 ms	Contact mfr.	SmartCool air cooling device. Compatible with Affirm workstation. Unique MultiPlex technology of 1440 nm and 1320 nm.
Acclaim	Nd:YAG	1064 nm	10 – 600 J/cm ²	0.4 – 300 ms	\$89,000	SmartCool air cooling. No disposable costs.
Cynosure PL Elite	Pulsed Light Alexandrite / Nd:YAG	560 – 950 nm 755 nm / 1064 nm	3 – 30 J/cm ² 25 – 50 J/cm ² / 10 – 600 J/cm ²	5 – 50 ms 0.5 – 300 ms / 0.4 – 300 ms	Contact mfr. \$123,000	Spot sizes: 46 x 18 mm or 46 x 10 mm. SmartCool air cooling. Spot sizes 12 mm and 15 mm.

Note: Data subject to change; please refer to Company Directory for supplier contact information.

SKIN REJUVENATION COMPARISON CHART

Supplier Product Name	Device Type	Wavelength (nm)	Energy Output (Joules)	Pulse Length	Price	Accessories
Cynosure, Inc. (continued)						
Cynergy with XPL	Pulsed Dye / Nd:YAG / Intense Pulsed Light	595 nm / 1064 nm / 560 – 950 nm	2 – 40 J/cm ² / 10 – 600 J/cm ² / 16 J/cm ² – 8.3 cm ² , 30 J/cm ² – 4.6 cm ² , 30 J/cm ² – 2.1 cm ² handpieces	0.5 – 40 ms / 0.3 – 300 ms / 5 – 50 ms	Contact mfr.	SmartCool air cooling. Portable pulsed light air cooling module can be used separately.
Cynergy	Pulsed Dye / Nd:YAG	595 nm / 1064 nm	2 – 40 J/cm ² / 10 – 600 J/cm ²	0.5 – 40 ms / 0.3 – 300 ms	\$145,000	Air cooling.
Accolade	Q-switched Alexandrite	755 nm	Min. 2.8 J/cm ² to Max. 18 J/cm ²	Minimum 50 ns		Four handpieces from 2 mm to 5 mm.
Affinity QS	Q-switched Nd:YAG	532 nm, 1064 nm	Min. 1.5 J/cm ² to Max. 28 J/cm ²	6 ns		2 mm, 3 mm, 4 mm (optional) and 6 mm handpieces.
DermaMed International, Inc.						
Quadra Q4 Platinum Series	Intense Pulsed Light	500 – 1200 nm	Up to 20 J/cm ²	10 – 110 ms	\$49,500	Patented low voltage technology for minimal discomfort. One multi-pulsing handpiece for hair removal, pigmented/vascular lesions and acne. Pre-programmable settings for ease of use.
Quadra Q4 Gold Series	Intense Pulsed Light	500 – 1200 nm	Up to 20 J/cm ²	10 – 110 ms	\$39,500	
EclipseMed						
SmartXide DOT	CO ₂ Laser and scanner system	10,600 nm	30 W	From 0.2 ms to 80 ms		Scanner offers standard or DOT scanning mode.
Edge Systems						
HydraFacial	Serum-based resurfacing and LED	600 - 1000 nm, 420 nm	7.4 J per Tx area	CW, variable	Starting at \$24,500	Marketing package, trade-out, free disposables, financing available. Crystal-free microderm., lymphatic and cellulite massage.
HydraFacial Wave	Serum-based skin resurfacing	New modality	Novel	N/A	Starting at \$16,875	Marketing package, trade-out, free disposables, financing available. Crystal-free microderm.
Ellipse, Inc.						
Ellipse Flex PPT	Pulsed Light	530 nm – 750 nm	Up to 19 J	Up to 100 ms	Contact mfr.	Multi-application platform includes programmable pulse technology (PPT) and patient database. Two different handpieces available for rejuvenation.
Ellipse I ² PL	Pulsed Light	530 nm – 750 nm, 555 nm – 950 nm	Up to 19 J	Up to 100 ms	Contact mfr.	Multi-application platform. Two different handpieces available for rejuvenation.
Juvia	Fractional CO ₂ Laser	10,600 nm	0.1 – 15 W	N/A	Contact mfr.	Truly flexible fiber delivery. Built-in parameter controls on handpiece. Adjustable scan dwell times: 2 ms, 3 ms, 4 ms, 5 ms, 6 ms, 7 ms. Scan density: 7 x 7; 9 x 9; 11 x 11 MTZ/cm ² . Scan area: 1cm ² ; MTZ (spot) size: 500 μm. No consumables.
Energist (formerly McCUE)						
ULTRA VPL	Variable Pulsed Light	530 - 950 nm, 610 - 1020 nm	Up to 51 J	Variable	\$67,750	Three year warranty, two full training days, all applicators included, large 10x50 mm spot size for faster Tx, square pulses and dynamic skin cooling.
ULTRA Lite	Variable Pulsed Light	530 – 950 nm	Up to 30 J	Variable	\$37,750	10 x 50 mm spot size for faster treatments, square pulses, dynamic cooling and easily upgradable to 51 J.
Focus Medical						
NaturaLight	Pulsed Light	530 – 1200 nm	Up to 50 J/cm ²	Up to 500 ms	\$54,900	585 nm and 650 nm dye handpiece. Fractional handpiece with system.
NaturaLase QS	Q-switched Nd:YAG	1064 nm, 532 nm, 585 nm, 650 nm	1 J and 2 J	10 – 20 ns	\$93,900 to \$115,000	
NaturaLase	Er:YAG	2940 nm	Up to 24 J/cm ²	350 ms	\$76,900	
HOYA ConBio						
RevLite	EO Q-switched Nd:YAG with PhotoAcoustic Technology Pulse (PTP)	1064 nm, 532 nm, 585 nm, 650 nm	Up to 12 J/cm ²	5 – 20 ns	Contact mfr.	PurpuraLite exclusive chromophore clearing compression tool; MultiLite handpieces for 585 and 650 nm converted wavelengths; MultiSpot handpiece offering four spot sizes from 2-8 mm.
MedLite C6	EO Q-switched Nd:YAG	1064 nm, 532 nm, 585 nm, 650 nm	Up to 12 J/cm ²	5 – 20 ns	Contact mfr.	Same as above.
IRIDEX						
VariLite	KTP / Diode	532 nm / 940 nm	250 J / 850 J	5 - 100 ms	\$54,500	0.7, 1.0, 2.0 mm handpieces, 14 mm ScanLite ^{XP} scanner (optional).
DioLite ^{XP}	KTP	532 nm	250 J	5 - 100 ms	\$42,500	0.5, 0.7, 1.0 mm handpieces, 14 mm ScanLite ^{XP} scanner (optional).
Lyra i	Nd:YAG	1064 nm	5 - 900 J	20 - 100 ms	\$72,500	VersaStat i 1 - 5 mm, cont. adjustable handpiece, VersaStat i 10 mm.

Note: Data subject to change; please refer to Company Directory for supplier contact information.

SKIN REJUVENATION COMPARISON CHART

Supplier Product Name	Device Type	Wavelength (nm)	Energy Output (Joules)	Pulse Length	Price	Accessories
IRIDEX (continued)						
Aura i	KTP	532 nm	1 - 240 J	1 - 50 ms	\$72,500	VersaStat i 1 - 5 mm, cont. adjustable handpiece, SmartScan scanner. DermaStat 1, 2, 4 mm.
Venus Gemini	Er:YAG KTP / Nd:YAG	2940 nm 532 nm / 1064 nm	0.02 - 2 J Up to 100 J / Up to 990 J	300 ms 1 - 100 ms / 10 - 100 ms	\$67,500 Contact mfr.	Lens cell handpiece: 1, 3, 5, 7 mm. VersaStat i 1 - 5 mm cont. adjustable handpiece and VersaStat i 10 mm. Optional DermaStat 1 or 2 mm (KTP only).
LASERINGSM						
SLIM E30 MiXto SX	CO ₂	10,600 nm	0.5 - 30 W	N/A	\$79,000	Patent pending MiXto SX fractional scanner system. Full range of traditional accessories available.
Velure S5 MiXto VX	Diode	532 nm	0.1 - 5 W	10 - 1000 ms	\$53,900	MiXto VX fractional scanner. Focusing handpieces with spot sizes of 0.3 mm, 0.5 mm, 1.5 mm.
Velure S5	Diode	532 nm	0.1 - 5 W	10 - 1000 ms	\$36,600	Focusing handpieces with spot sizes of 0.3 mm, 0.5 mm, 1.5 mm.
Light BioScience, LLC						
GentleWaves Pro	LED Photomodulation	590 nm +/- 8 nm (visible yellow light)	4.0 mW/cm ²	Variable	\$32,500	None
GentleWaves Select	LED Photomodulation	590 nm +/- 8 nm (visible yellow light)	4.0 mW/cm ²	Variable	\$19,500	None
LIGHTWAVE Technologies						
LIGHTWAVE Elite	LED Light Therapy	630 nm, 880 nm, 420 nm	Up to 180 J/cm ²	CW and Variable	Starting at \$19,000	Newest and most sophisticated tri-wavelength LED system.
LIGHTWAVE Deluxe	LED Light Therapy	630 nm / 880 nm, 630 nm / 420 nm	Up to 160 J/cm ²	CW and Variable	Starting at \$15,000	Advanced dual wavelength LED system.
LIGHTWAVE Professional	LED Light Therapy	630 nm, 880 nm	Up to 120 J/cm ²	CW and Variable	Starting at \$8,000	Affordable dual wavelength system for the body and face. All LIGHTWAVE systems come with a 2 year warranty.
Lumenis						
Elora	Intense Pulsed Light	570 - 1200 nm	Up to 22 J/cm ²	N/A	\$34,900	Spot size 20 x 30 mm crystal, 33 Hz.
IPL Quantum SR	Intense Pulsed Light	560 - 1200 nm	15 - 45 J/cm ²	6 - 26 ms	\$69,900	Upgradable to hair removal (HR), deep vascular lesions, leg veins (DL) and tattoo removal (QS). Spot size: 34 x 8 mm. Optional 590 and 640 nm heads for skin rejuvenation.
Lumenis One	Intense Pulsed Light	515 - 1200 nm	10 - 40 J/cm ²	3 - 100 ms	(Prices for individual configurations vary)	Multi-application, multi-technology platform. Upgradable, expandable, 7 IPL filters, novel OPT (optimized pulsing technology), optimized presets and patient database, spot sizes IPL: 15 x 35 mm and 8 x 15 mm, Nd:YAG: 2 x 4, 6 and 9 mm, LightSheer 9 x 9 mm.
Aluma UltraPulse	Nd:YAG / LightSheer Diode Bi-polar RF Fractional CO ₂	1064 nm / 800 nm RF 10,600 nm	10 - 225 J/cm ² / 10 - 100 J/cm ² 2 - 20 W 7.5 J/cm ²	2 - 20 ms / 5 - 400 ms 1 - 5 sec < 2 ms	Contact mfr. Contact mfr.	Aluma tips: 6 x 25 mm and 3 x 18 mm. Single, minimal downtime treatment for great wrinkle/pigment results.
Lutronic, Inc.						
MOSAIC	Erbium Fiber	1550 nm	4 - 40 mJ	N/A	Contact mfr.	Multiple treatment tips. Controlled Chaos Scanning Technology. FDA cleared.
Spectra VRM II	Q-switched Nd:YAG	532 nm, 585 nm, 650 nm, 1064 nm	Up to 1.5 J	5-7 ns, 300	Contact mfr.	One year warranty, Spectra Peel for active inflammatory acne. FDA cleared.
Med-Aesthetic Solutions, Inc.						
iPulse i400	Intense Pulsed Light	530 - 1200 nm	0 - 20 J/cm ²	10 - 110 ms	\$49,995	Patented constant spectrum of light technology. Square pulse delivery. 8.9 cm ² spot size and mini glass filter handpieces. Pre-programmed settings. Interactive display and touch screen. Table top or portable.
iPulse i200+	Intense Pulsed Light	530 - 1200 nm	0 - 20 J/cm ²	10 - 110 ms	\$34,995	Patented constant spectrum of light technology. Square pulse delivery. 8.9 cm ² spot size and mini glass filter handpieces. Pre-programmed settings.
MAStique Light Skin Rejuvenation	LED	470 nm, 525 nm, 590 nm, 640 nm	Up to 29 J/cm ²	Variable with 6 pre-sets	\$16,995	Non-invasive and non-ablative high-frequency and micro currents enhance the effects of LED phototherapy.
MedSurge Advances						
Quantel Derma Aramis	Er:Glass	1540 nm	Up to 126 J/cm ²	3.3 ms	Contact MedSurge Advances	Patented integrated cooling system.
Quantel Derma Prolite II	Intense Pulsed Light	530 - 1200 nm	15 - 44 J/cm ²	20 - 72 ms	Contact MedSurge Advances	Multiple filters in one handpiece (530, 550 580, 610, 615), 10 x 20 mm.

Note: Data subject to change; please refer to Company Directory for supplier contact information.

SKIN REJUVENATION COMPARISON CHART

Supplier Product Name	Device Type	Wavelength (nm)	Energy Output (Joules)	Pulse Length	Price	Accessories
MedSurge Advances (continued)						
Quantel Derma Exelo 2	Fractionated CO ₂	10,600 nm	30 W	2 to 100 ms or CW	Contact MedSurge Advances	25 - 400 MTZ/cm ² , scanner, air cooling.
Quantel Derma BURANE	Er:YAG	2940 nm	2.0 J, XL Model - 2.5 J	100 - 800 μs	Contact MedSurge Advances	Triple mode technology: thermal, ablative and combination.
Novalis						
Clareon SR	Pulsed Light	550 - 1200 nm	Up to 35 J	30, 50, 70 ms	Contact mfr.	Six handpieces. Patented Krypton technology for spectral output. Large spot size. Up to 1 Hz repetition rate.
Solarus SR	Pulsed Light	520 - 1200 nm	Up to 20 J	20, 40, 60 ms	Contact mfr.	Three handpieces. Patented Krypton technology for spectral output. Large spot size. Up to 1 Hz repetition rate.
Palomar						
StarLux 500 Platform					Contact mfr.	
Lux2940 Fractional	2940 Laser	2940 nm	N/A	N/A	Contact mfr.	
Lux1540 Fractional Laser handpiece	1540 Laser	1540 nm	Up to 70 mJ per microbeam	1 - 500	Contact mfr.	
LuxDeepIR Fractional Infrared handpiece	Infrared Light	850 - 1350 nm	Up to 175 J	2.5 - 10 sec	Contact mfr.	
LuxG handpiece	Pulsed Light	500 - 670 nm, 870 - 1400 nm	Up to 70 J/cm ²	1 - 500	Contact mfr.	
Photo Therapeutics, Inc.						
Omnilux Revive	LED	633 nm	Up to 150 J/cm ²	CW	Contact mfr.	Interchangeable treatment heads.
Omnilux Plus	LED	830 nm	Up to 80 J/cm ²	CW	Contact mfr.	Interchangeable treatment heads.
Quantel Medical						
ARAMIS	Erbium Glass Laser	1540 nm	Up to 126 J/cm ²	3.3 ms	Contact MedSurge Advances	Cooling system.
PROLITE II	Intense Pulsed Light	530 - 1200 nm	15 - 44 J/cm ²	20 - 72 ms	Contact MedSurge Advances	One pulsed light handpiece included - spot size 10 x 20 mm.
Exelo 2	Fractional CO ₂	10.6 μm	N/A	2 - 100 ms	Contact MedSurge Advances	Optional Zimmer Cryo 6 base.
Reliant Technologies, Inc.						
Fraxel re:store	Erbium-Fiber Laser	1550	4 - 70 mJ/MTZ	N/A	Contact mfr.	Intelligent Optical Tracking system (IOTS [®]). Variable optical spot size using telescope. Maximizes lesion depth for a chosen pulse energy. Ergonomic handpiece and roller tip.
Fraxel re:fine	Single Mode Fiber Laser	1410 nm	5 - 20 mJ/MTZ	N/A	Contact mfr.	Same as above.
Fraxel re:pair	Fractional CO ₂ Laser	10,600 nm	5 - 70 mJ/MTZ	N/A	Contact mfr.	Built-in smokeless evacuation system. Intelligent Optical Tracking system (IOT [®]). Ergonomic handpiece and roller tip.
Sandstone Medical Technologies						
Whisper ^{3d}	Er:YAG	2940 nm	Up to 8 J/cm ²	300 μs	\$35,000	Compact, portable, handheld ergonomic handpiece, collimated beam. Spot sizes from 1 mm to 8 mm.
Sciton						
Profile	Modular Platform	Various	Up to 400 J/cm ²	0.1 - 200 ms, 1 - 10 sec	Starting at \$51,000	Configurable up to five laser modules, scanning systems, computerized scanner; 30 x 30 mm Tx, integrated cooling, IPL with 15 x 45 mm spot size, smart filters.
Tunable Resurfacing Laser	Er:YAG module	2940 μm	45 W	0.1 - 50 ms	\$23,000	Computerized scanner, smart user interface, MicroLaserPeel, Tunable Resurfacing Laser.
Hair Removal and Vascular	Nd:YAG module	1064 nm	Up to 400 J/cm ²	0.1 - 200 ms	\$29,000	Computerized scanner; 30 x 30 mm Tx; integrated cooling.
Acne and Non-Ablative BBL	Nd:YAG module Pulsed Light	1319 nm 400 - 1400 nm	Up to 80 J/cm ² Up to 30 J/cm ²	10 - 200 ms Up to 200 ms, 1 - 10 sec	\$29,000 \$36,000	Same as above. 15 x 45 mm, 15 x 15 mm spot sizes, smart filters, integrated cooling.
Profile Strata	Er:YAG / Pulsed Light	410 - 2940 nm	Up to 400 J/cm ²	Up to 200 ms, 1 - 10 sec	\$179,000	IPL with 15 x 45 mm, 15 x 15 mm spot sizes, smart filters, integrated cooling; computerized TRL and ProFractional scanners, 30 x 30 mm Tx.

Note: Data subject to change; please refer to Company Directory for supplier contact information.

SKIN REJUVENATION COMPARISON CHART

Supplier Product Name	Device Type	Wavelength (nm)	Energy Output (Joules)	Pulse Length	Price	Accessories
Sciton (continued)						
Profile HVM	Nd:YAG / Pulsed Light	1064 / 410 – 1400 nm	Up to 400 J/cm ²	0.1 – 200 ms / 1 – 10 sec	\$159,000	Dual Nd:YAG, IPL laser, computerized scanner, 30 x 30 mm Tx, integrated cooling, IPL with 15 x 45 mm spot size smart filters, integrated cooling.
BBL/s	N/A	410 – 1400 nm	Up to 30 J/cm ²	Up to 500 ms	\$89,950	Table top system. Includes SkinTyte, 420, 515, 560, 590, 640, 695 filters, 15 x 45 and 15 x 15 spot sizes, precision cooling, three year warranty.
SharpLight						
Beamax	Pulsed Light	580 – 950 nm	5 – 20 J/cm ²	10 – 15 ms	Contact mfr.	System includes one BeamSR580 HP.
Formax100	DPC (Dynamic Pulse Control)	580 – 950 nm (DPC), 890 – 1150 nm, 520 – 650 nm (DPC)	Up to 45 J/cm ²	10, 12, 15, 20, 25 ms	Contact mfr.	System includes: FormSR580 HP or FormSR890 HP, thermal cooling with DPC forming. Spot size: 6.4 cm ² , 3.4 cm ² , 1.5 cm ² .
Sybaritic, Inc.						
LaserPeel Soft-MET	Modified Erbium:YAG	2940 nm	5 J/cm ² @ 3 mm spot size	N/A	\$39,995	Collimated and focus lenses available.
NannoLight	Pulsed Light	410 – 1400 nm	Up to 45 J/cm ²	1-30 ms	\$42,995	Six filters available. Only requires one handpiece. Active contact cooling.
SkinClear TA-2	Q-switched:YAG	1064 nm, 532 nm	8.5 J/cm ² @ 3 mm spot size	10 ns	\$29,995	Set of three distance gauges.
SpectraQuattro	Pulsed Light	410 – 1400 nm	Up to 40 J/cm ²	1-30 ms	\$34,995	Six filters available. Only requires one handpiece. Active contact cooling.
SkinClear SRVH	Nd:YAG	1064 nm, 1320 nm	Up to 400 J/cm ²	2-100 ms, 300 ms	Contact mfr.	Integrated contact cooling. Variable focus handpiece: Spot sizes 1-10 mm.
Syneron						
eLight SR	Optical Energy / RF Electrical Energy	580 nm – 980 nm	Up to 45 J/cm ² / Up to 25 J/cm ³	N/A	\$59,900	Applicator head included. 12 x 25 mm treatment area. Three year warranty.
eLight SRA	Optical Energy / RF Electrical Energy	470 nm – 980 nm	Up to 45 J/cm ² / Up to 25 J/cm ³	N/A	\$59,900	Same as above.
eLaser WRA	Diode / RF Electrical Energy	900 nm	Up to 50 J/cm ² / Up to 100 J/cm ³	N/A	\$75,900	Applicator head included. 12 x 8 mm treatment area. Three year warranty.

Note: Data subject to change; please refer to Company Directory for supplier contact information.