

SKIN REJUVENATION COMPARISON CHART

Supplier Product Name	Device Type	Wavelength (nm)	Energy Output (Joules)	Pulse Length	Price	Accessories
Aerolase						
LightPod Era	Er:YAG	2940 nm	Up to 180 J	0.3 ms	\$43,500	
LightPod Neo XT	Nd:YAG	1064 nm	Up to 1274 J	0.65 or 1.5 ms	\$46,500	
Aesthera						
Isolaz	Photopneumatic	N/A	N/A	N/A	Contact mfr.	Multi-application (SR, acne, HR). No pain. Various start-up packages.
Alma Lasers						
Harmony	AFT Pulsed Light	515 – 950 nm	5 – 20 J/cm ²	10, 12, 15 ms	\$54,900	SVL module, 40 x 16 mm spot, depot service.
		540 – 950 nm	5 – 20 J/cm ²	10, 12, 15 ms	\$54,900	VP module, 40 x 16 mm spot, depot service.
		570 – 950 nm	5 – 20 J/cm ²	10, 12, 15 ms	\$54,900	SR module, 40 x 16 mm spot, depot service.
	Near-Infrared	780 – 950 nm	70 – 630 J/cm ²	10, 30, 90 sec	\$19,900	ST module, 40 x 16 mm spot, depot service.
	Nd:YAG	1064 nm, 1320 nm	30 – 450 J/cm ² , 5 – 40 J/cm ²	10, 40, 60 ms, 30, 40, 50 ms	\$18,000, \$15,000	1064 module. 1320 module.
	Er:YAG Pixel 2940	2940 nm 2940 nm	200 – 1200 mJ/p 1400 mJ/p	1 – 350 ms N/A	\$19,900 \$34,900	2940 module. Pixel 2940 module.
Asclepion Laser						
MeDioStar	Diode	808 nm	up to 170 J/cm ²	up to 500 ms		10 and 12 mm spot sizes (standard); 4, 6 and 14 mm tips available; integrated skin cooling.
Candela						
Vbeam Aesthetica	Pulsed Dye	595 nm	Up to 20 J/cm ²	0.45 – 40 ms	\$79,900	Spot sizes up to 10 mm, two pigmented lesion handpieces; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy.
Vbeam Perfecta	Pulsed Dye	595 nm	Up to 40 J/cm ²	0.45 – 40 ms	\$96,500	Six spot sizes up to 12 mm, including 3 x 10 elliptical and pigmented lesion handpieces; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy.
GentleLASE (Various models)	Alexandrite	755 nm	Up to 100 J/cm ²	3 ms	\$79,900 to \$98,500	Spot sizes 6-18 mm; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy.
Smoothbeam	Diode	1450 nm	Up to 25 J/cm ²	210 ms	\$59,900	Spot sizes 4 - 6 mm; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy.
GentleYAG (Various models)	Nd:YAG	1064 nm	Up to 600 J/cm ²	0.25 – 300 ms	\$79,900 to \$109,900	Spot sizes 1.5 – 18 mm; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy.
GentleMax Configurable Workstation	Alexandrite / Nd:YAG	755 nm / 1064 nm	Up to 600 J/cm ²	0.25 – 300 ms	\$134,000-\$200,000	Spot sizes 1.5 – 18 mm; unique, patented Dynamic Cooling Device, maximizing patient comfort and Tx efficacy and air cooling available. Upgradable.
SmoothPeel	Erbium:YAG	2940 nm	Max energy 750 mJ	2, 4, 6 Hz	\$39,900	Spot sizes 5 and 9 mm.
CoolTouch						
CT3 PLUS	Nd:YAG	1320 nm	Up to 24 J/cm ²	50 ms to continuous	\$54,995	10 mm spot size. Pulsed pre-, mid- and post-cryogen cooling. Treats wrinkles, acne and acne scars. New painless skin tightening mode for patient comfort.
Cutera						
CoolGlide Vantage	Nd:YAG	1064 nm	Up to 300 J	0.1 – 300 ms	\$110,000	Treats all skin types. Skin tightening. Proven efficacy. No gel (1064, 560, 600), direct contact (pulsed light, Titan).
Xeo	Long Pulse Nd:YAG / Intelligent Pulsed Light / Infrared / 2790 YSGG	1064 nm / 560 – 1200 nm, 600 – 850 nm / 1100 – 1800 nm / 2790 nm	Up to 300 J / 5 – 20 J, 6 – 40 J / 5 – 65 J / 3.5 J	0.1 – 300 ms / Automatic (pulsed light) / 4 – 11 sec / Variable	Contact mfr.	Sustained deep dermal heating. Treats all skin types. Large 10 x 30 mm sapphire window for faster treatments. 2790 targets fine lines, photodamage, one to two treatments, no disposables.
Solera Opus	Intelligent Pulsed Light	560 – 1200 nm, 600 – 850 nm	5 – 20 J, 6 – 40 J	Automatic (pulsed light)	\$65,000	Real time calibration. Large spot size for fast treatments. No numbing cream or gel required.
Cynosure, Inc.						
Affirm	Nd:YAG with CAP / Xenon Pulsed Light	1440 nm / 1320 nm / 560 – 950 nm	8 J/cm ² / 20 J/cm ²	3 ms / 5 – 35 ms	Contact mfr.	SmartCool air cooling device.

Note: Data subject to change; please refer to Company Directory for supplier contact information.

SKIN REJUVENATION COMPARISON CHART

Supplier Product Name	Device Type	Wavelength (nm)	Energy Output (Joules)	Pulse Length	Price	Accessories
Cynosure, Inc. (continued)						
Acclaim	Nd:YAG	1064 nm	10 – 600 J/cm ²	0.4 – 300 ms	\$89,000	SmartCool air cooling. No disposable costs.
Cynosure PL Elite	Pulsed Light Alexandrite / Nd:YAG	560 – 950 nm / 755 nm / 1064 nm	3 – 30 J / 25 – 100 J/cm ² / 10 – 600 J/cm ²	5 – 50 ms / 0.5 – 300 ms / 0.4 – 300 ms	Contact mfr. / \$123,000	Spot sizes: 46 x 18 mm or 46 x 10 mm. SmartCool air cooling. Spot sizes 12 mm and 15 mm.
Cynergy with XPL	Pulsed Dye / Nd:YAG / Intense Pulsed Light	595 nm / 1064 nm / 560 – 950 nm	2 – 40 J/cm ² / 10 – 600 J/cm ² / 16 J/cm ² – 8.3 cm ² , 30 J/cm ² – 4.6 cm ² , 30 J/cm ² – 2.1 cm ² handpieces	0.5 – 40 ms / 0.3 – 300 ms / 5 – 50 ms	Contact mfr.	SmartCool air cooling. Portable pulsed light air cooling module can be used separately.
Cynergy	Pulsed Dye / Nd:YAG	595 nm / 1064 nm	2 – 40 J/cm ² / 10 – 600 J/cm ²	0.5 – 40 ms / 0.3 – 300 ms	\$145,000	Air cooling.
DermaMed International, Inc.						
Quadra Q4 Platinum Series	Intense Pulsed Light	500 – 1200 nm	Up to 20 J/cm ²	10 – 110 ms	\$49,500	Patented low voltage technology for minimal discomfort. One multi-pulsing handpiece for hair removal, pigmented/vascular lesions and acne. Pre-programmable settings for ease of use.
Quadra Q4 Gold Series	Intense Pulsed Light	500 – 1200 nm	Up to 20 J/cm ²	10 – 110 ms	\$39,500	
DINONA, Inc.						
Sellas	Erbium Glass Fiber	1550 nm	Up to 30 mJ per micro pulse	Up to 30 ms	\$93,000	Three permanent handpieces. PPA (pulse per area) by random spray shot. Tailoring pattern features, large pattern size (up to 50 mm), 32 facial forms and scar mode. Stamping approach and scanning approach applicable.
COLAS-UP30	30 W CO ₂	10,600 nm	3.5 J/cm ²	< 1 ms	\$9,900	Articulated arm, focusing tips, foot switch, goggles.
3L	LED	635 nm, 818 nm	20 mJ	10 - 500 ms CW	Contact mfr.	Acne, wound healing, skin tissue revitalization, skin rejuvenation, photodynamic therapy.
Eclipsemed, Ltd.						
SmartXide DOT	CO ₂ Laser and scanner system	10,600 nm	30 W	From 0.2 ms to 80 ms		Scanner offers standard or DOT scanning mode.
Ellipse, Inc.						
Ellipse Flex PPT	Pulsed Light	530 nm – 750 nm	Up to 19 J	Up to 100 ms	Contact mfr.	Multi-application platform includes programmable pulse technology (PPT) and patient database. Two different handpieces available for rejuvenation.
Ellipse I ² PL	Pulsed Light	530 nm – 750 nm, 555 nm – 950 nm	Up to 19 J	Up to 100 ms	Contact mfr.	Multi-application platform. Two different handpieces available for rejuvenation.
Juvia	Fractional CO ₂ Laser	10,600 nm	0.1 – 15 W	N/A	Contact mfr.	Truly flexible fiber delivery. Built-in parameter controls on handpiece. Adjustable scan dwell times: 2 ms, 3 ms, 4 ms, 5 ms, 6 ms, 7 ms. Scan density: 7 x 7; 9 x 9; 11 x 11 MTZ/cm ² . Scan area: 1cm ² ; MTZ (spot) size: 500 μm. No consumables.
Focus Medical						
NaturaLight	Pulsed Light	530 – 1200 nm	Up to 50 J/cm ²	Up to 500 ms	\$54,900	585 nm and 650 nm dye handpiece. Fractional handpiece with system.
NaturaLase QS	Q-switched Nd:YAG	1064 nm, 532 nm, 585 nm, 650 nm	1 J and 2 J	10 – 20 ns	\$93,900 to \$115,000	
NaturaLase	Er:YAG	2940 nm	Up to 24 J/cm ²	350 ms	\$76,900	
HOYA ConBio						
RevLite	EO Q-switched Nd:YAG with PhotoAcoustic Technology Pulse (PTP)	1064 nm, 532 nm, 585 nm, 650 nm	Up to 12 J/cm ²	5 – 20 ns	Contact mfr.	PurpuraLite exclusive chromophore clearing compression tool; MultiLite handpieces for 585 and 650 nm converted wavelengths; MultiSpot handpiece offering four spot sizes from 2-8 mm.
MedLite C6	EO Q-switched Nd:YAG	1064 nm, 532 nm, 585 nm, 650 nm	Up to 12 J/cm ²	5 – 20 ns	Contact mfr.	Same as above.
LASERING^{co}						
SLIM E30 MiXto SX	CO ₂	10,600 nm	0.5 – 30 W	N/A	\$79,000	Patent pending MiXto SX fractional scanner system. Full range of traditional accessories available.
Velure S5 MiXto VX	Diode	532 nm	0.1 – 5 W	10 – 1000 ms	\$53,900	MiXto VX fractional scanner. Focusing handpieces with spot sizes of 0.3 mm, 0.5 mm, 1.5 mm.
Velure S5	Diode	532 nm	0.1 – 5 W	10 – 1000 ms	\$36,600	Focusing handpieces with spot sizes of 0.3 mm, 0.5 mm, 1.5 mm.

Note: Data subject to change; please refer to Company Directory for supplier contact information.

SKIN REJUVENATION COMPARISON CHART

Supplier Product Name	Device Type	Wavelength (nm)	Energy Output (Joules)	Pulse Length	Price	Accessories
Light BioScience, LLC						
GentleWaves Pro	LED Photomodulation	590 nm +/- 8 nm (visible yellow light)	4.0 mW/cm ²	Variable	\$32,500	None
GentleWaves Select	LED Photomodulation	590 nm +/- 8 nm (visible yellow light)	4.0 mW/cm ²	Variable	\$19,500	None
LIGHTWAVE Technologies						
LIGHTWAVE DELUXE	LED Light Therapy	630, 880, 417 nm	Up to 250 J/cm ²	Variable	Starting at \$15,000	All systems are designed for hands free use and utilize LIGHTWAVE's 15 exclusive protocols. Comprehensive Provider Training Kit, Marketing/Sales Kit, ABI Dermaceuticals Skin Care Kit and full warranty. Additional accessories and services are available.
LIGHTWAVE PROFESSIONAL	LED Light Therapy	630 and 880 nm	Up to 213 J/cm ²	Variable	Starting at \$10,000	Same as above. Upgradable to the Deluxe System.
Lumenis						
Elora	Intense Pulsed Light	570 – 1200 nm	Up to 22 J/cm ²	N/A	\$34,900	Spot size 20 x 30 mm crystal, 33 Hz.
IPL Quantum SR	Intense Pulsed Light	560 – 1200 nm	15 – 45 J/cm ²	6 – 26 ms	\$69,900	Upgradable to hair removal (HR), deep vascular lesions, leg veins (DL) and tattoo removal (QS). Spot size: 34 x 8 mm. Optional 590 and 640 nm heads for skin rejuvenation.
Lumenis One	Intense Pulsed Light	515 – 1200 nm	10 – 40 J/cm ²	3 – 100 ms	(Prices for individual configurations vary)	Multi-application, multi-technology platform. Upgradable, expandable, 7 IPL filters, novel OPT (optimized pulsing technology), optimized presets and patient database, spot sizes IPL: 15 x 35 mm and 8 x 15 mm, Nd:YAG: 2 x 4, 6 and 9 mm, LightSheer 9 x 9 mm.
	Nd:YAG / LightSheer Diode	1064 nm / 800 nm	10 – 225 J/cm ² / 10 – 100 J/cm ²	2 – 20 ms / 5 – 400 ms		
Aluma UltraPulse	Bi-polar RF Fractional CO ₂	RF 10,600 nm	2 – 20 W 7.5 J/cm ²	1 – 5 sec < 2 ms	Contact mfr. Contact mfr.	Aluma tips: 6 x 25 mm and 3 x 18 mm. Single, minimal downtime treatment for great wrinkle/pigment results.
Lutronic						
MOSAIC	Erbium Fiber	N/A	4 – 40 mJ	N/A	\$89,000	Multiple treatment tips. Controlled Chaos Technology (CCT). Dual operation modes.
Spectra VRM II	Q-switched Nd:YAG	1064 nm, 532 nm, 585 nm, 650 nm	1 J	5-7 ns / 300 μs		Zoom handpiece, collimated handpiece, 585 nm and 650 nm laser handpiece (optional). Top hat beam. Quasi-long pulse mode.
Spectra QT	Q-switched Nd:YAG	1064 nm, 532 nm	12 J/cm ²	5-7 ns / 300 μs		Zoom handpiece, collimated handpiece. Top hat beam. Quasi-long pulse mode.
Spectra SP	Carbon Dioxide	10,600 nm	Up to 30 W	40 μs – 1000 μs		50 and 100 mm handpieces, small beam size up to 50 micron, char-free (up to 40 ms).
Med-Aesthetic Solutions, Inc.						
iPulse i400	Intense Pulsed Light	530 – 1200 nm	0 – 20 J/cm ²	10 – 110 ms	\$49,995	Patented constant spectrum of light technology. Square pulse delivery. 8.9 cm ² spot size and mini glass filter handpieces. Pre-programmed settings. Interactive display and touch screen. Table top or portable.
iPulse i200+	Intense Pulsed Light	530 – 1200 nm	0 – 20 J/cm ²	10 – 110 ms	\$34,995	Patented constant spectrum of light technology. Square pulse delivery. 8.9 cm ² spot size and mini glass filter handpieces. Pre-programmed settings.
MAStique Light Skin Rejuvenation	LED	470 nm, 525 nm, 590 nm, 640 nm	Up to 29 J/cm ²	Variable with 6 pre-sets	\$16,995	Non-invasive and non-ablative high-frequency and micro currents enhance the effects of LED phototherapy.
MedArt A/S						
MedArt 470	5 W Solid State Diode Pumped Laser	532 nm	Max. 1000 J/cm ²	Pulse width 10-1000 ms	Contact mfr.	Unique scanning technology with up to 10 x 10 mm Tx area. Optional skin cooling.
MedArt FRx	15 W CO ₂	10,600 nm		10-1000 ms	Contact mfr.	Fractional scanner system with 10 x 10 mm Tx area. Adjustable energy density settings. Energy delivered through solid core fiber system.
MedSurge Advances						
Quantel Medical Aramis	Erbium Glass Laser	1540 nm	Up to 126 J/cm ²	3.3 ms	Contact MedSurge Advances	Cooling system.
Quantel Medical Prolite II	Intense Pulsed Light	530 – 1200 nm	15 – 44 J/cm ²	20 – 72 ms	Contact MedSurge Advances	One pulsed light handpiece included – spot size 10 x 20 mm.

Note: Data subject to change; please refer to Company Directory for supplier contact information.

SKIN REJUVENATION COMPARISON CHART

Supplier Product Name	Device Type	Wavelength (nm)	Energy Output (Joules)	Pulse Length	Price	Accessories
MedSurge Advances (continued)						
Asclepion MCL 30 Dermablate	Er:YAG	2940 nm	1 – 100 J/cm ²	500 µs	Contact MedSurge Advances	VarioSpot built-in smoke evacuation and combined filter unit. TEAM method and VarioSpot offer variable zoom range from 1 – 6 mm. Handpiece spacers can be sterilized.
Asclepion The TattooStar R	Q-switched Ruby Laser	694 nm	Up to 23 J/cm ²	35 ns	Contact MedSurge Advances	Ergonomic design; program library for Tx parameters. Homogeneous hexagonal spot through microlens array. Auto spot size detection. Skin cooling system; no main water supply req. Tattoo and pigment removal.
Novalis						
Clareon SR	Pulsed Light	550 – 1200 nm	Up to 35 J	30, 50, 70 ms	Contact mfr.	Six handpieces. Patented Krypton technology for spectral output. Large spot size. Up to 1 Hz repetition rate.
Solarus SR	Pulsed Light	520 – 1200 nm	Up to 20 J	20, 40, 60 ms	Contact mfr.	Three handpieces. Patented Krypton technology for spectral output. Large spot size. Up to 1 Hz repetition rate.
Palomar						
StarLux 500 Platform	2940 Laser	2940 nm	N/A	N/A	Contact mfr.	
Lux2940 Fractional	1540 Laser	1540 nm	Up to 70 mJ per microbeam	1 – 500	Contact mfr.	
Lux1540 Fractional Laser handpiece	Infrared Light	850 – 1350 nm	Up to 175 J	2.5 – 10 sec	Contact mfr.	
LuxDeepIR Fractional Infrared handpiece	Pulsed Light	500 – 670 nm, 870 – 1400 nm	Up to 70 J/cm ²	1 – 500	Contact mfr.	
LuxG handpiece						
Photo Therapeutics, Inc.						
OmniLux Revive	LED	633 nm	Up to 150 J/cm ²	CW	Contact mfr.	Interchangeable treatment heads.
OmniLux Plus	LED	830 nm	Up to 80 J/cm ²	CW	Contact mfr.	Interchangeable treatment heads.
Quantel Medical						
ARAMIS	Erbium Glass Laser	1540 nm	Up to 126 J/cm ²	3.3 ms	Contact MedSurge Advances	Cooling system.
PROLITE II	Intense Pulsed Light	530 – 1200 nm	15 – 44 J/cm ²	20 – 72 ms	Contact MedSurge Advances	One pulsed light handpiece included – spot size 10 x 20 mm.
Exelo 2	Fractional CO ₂	10.6 µm	N/A	2 – 100 ms	Contact MedSurge Advances	Optional Zimmer Cryo 6 base.
Radiancy						
Mistral	LHE (Light and Heat Energy)	400 – 1200 nm	4 – 15 J/cm ² LHE combined	Up to 80 ms	Contact mfr.	Application specific handpieces, XL spot size handpiece. Onboard patient database.
SkinStation	LHE	400 – 1200 nm	Up to 65 J LHE combined	10 ms	\$32,990	Assorted light unit assemblies (LUAs), three year warranty.
Duet	LHE	400 – 1200 nm	Up to 65 J LHE combined	10 ms	\$24,990	Assorted light unit assemblies (LUAs).
SPR	LHE	400 – 1200 nm	Up to 65 J LHE combined	10 ms	\$24,990	Assorted light unit assemblies (LUAs), one year warranty.
Whisper ^{NS}	Er:YAG	2940 nm	Up to 8 J/cm ²	300 µs	\$39,990	Patented handheld laser handpiece, one year warranty.
Facial SkinCare Device (FSD)	LHE	400-1200 nm	6 – 12 J/cm ²	1.6 ms	Contact supplier	Light unit assemblies (LUAs).
Reliant Technologies, Inc.						
Fraxel re:store	Erbium-Fiber Laser	1550	4 - 70 mJ/MTZ	N/A	Contact mfr.	Intelligent Optical Tracking system (IOTS [®]). Variable optical spot size using telescope. Maximizes lesion depth for a chosen pulse energy. Ergonomic handpiece and roller tip.
Fraxel re:fine	Single Mode	1410 nm	5 - 20 mJ/MTZ	N/A	Contact mfr.	Same as above.
Fraxel re:pair	Fractional CO ₂ Laser	10,600 nm	5 - 70 mJ/MTZ	N/A	Contact mfr.	Built-in smokeless evacuation system. Intelligent Optical Tracking system (IOT [®]). Ergonomic handpiece and roller tip.

Note: Data subject to change; please refer to Company Directory for supplier contact information.

SKIN REJUVENATION COMPARISON CHART

Supplier Product Name	Device Type	Wavelength (nm)	Energy Output (Joules)	Pulse Length	Price	Accessories
Rhytec, Inc.						
Portrait PSR ³	Non-contact, Plasma Energy	N/A	1 – 4 J	4 – 16 ms	\$64,900	Ergonomic handpiece, disposable delivery nozzle, marketing materials, practice PR support, on-site training, 1 year limited/optional extended warranty.
Sandstone Medical Technologies						
Whisper ³	Er:YAG	2940 nm	Up to 8 J/cm ²	300 μs	\$35,000	Compact, portable, handheld ergonomic handpiece, collimated beam. Spot sizes from 1 mm to 8 mm.
Sciton						
Profile-MP	Modular Platform	Various	Up to 400 J	0.1 – 200 ms, 1 – 10 sec	Starting at \$51,000	Configurable up to five laser modules, scanning systems, computerized scanner; 30 x 30 mm Tx, integrated cooling, IPL with 15 x 45 mm spot size, smart filters.
Contour TRL	Er:YAG module	2940 μm	45 W	0.1 – 50 ms	\$23,000	Computerized scanner, smart user interface, MicroLaserPeel, tunable resurfacing laser.
ClearScan	Nd:YAG module	1064 nm	Up to 400 J	0.1 – 200 ms	\$29,000	Computerized scanner; 30 x 30 mm Tx; integrated cooling.
ThermaScan	Nd:YAG module	1319 nm	Up to 80 J	10 – 200 ms	\$29,000	Computerized scanner; 30 x 30 mm Tx; integrated cooling.
BBL	Pulsed Light	400 - 1400 nm	Up to 30 J	Up to 200 ms, 1 – 10 sec	\$36,000	15 x 45 mm, 15 x 15 mm spot sizes, smart filters, integrated cooling.
Profile Strata	Er:YAG / Pulsed Light	410 – 2940 nm	Up to 400 J	Up to 200 ms, 1 – 10 sec	\$179,000	IPL with 15 x 45 mm, 15 x 15 mm spot sizes, smart filters, integrated cooling; computerized TRL and ProFractional scanners, 30 x 30 mm Tx, integrated cooling.
Profile HVM	Nd:YAG / Pulsed Light	1064 / 410 – 1400 nm	Up to 400 J	0.1 – 200 ms / 1 – 10 sec	\$159,000	Dual Nd:YAG, IPL laser, computerized scanner, 30 x 30 mm Tx, integrated cooling, IPL with 15 x 45 mm spot size smart filters, integrated cooling.
BBL/s	N/A	410 – 1400 nm	Up to 30 J/cm ²	Up to 500 ms	\$89,950	Table top system. Includes SkinTyte, 420, 515, 560, 590, 640, 695 filters, 15 x 45 and 15 x 15 spot sizes, precision cooling, three year warranty.
SharpLight						
Beamax	Pulsed Light	580 – 950 nm	5 – 20 J/cm ²	10 – 15 ms	Contact mfr.	System includes one BeamSR580 HP.
Formax100	DPC (Dynamic Pulse Control)	580 – 950 nm (DPC), 890 – 1150 nm, 520 – 650 nm (DPC)	up to 45 J/cm ²	10, 12, 15, 20, 25 ms	Contact mfr.	System includes: FormSR580 HP or FormSR890 HP, thermal cooling with DPC forming. Spot size: 6.4 cm ² , 3.4 cm ² , 1.5 cm ² .
Syneron						
eLight SR	Optical Energy / RF Electrical Energy	580 nm – 980 nm	Up to 45 J/cm ² / Up to 25 J/cm ³	N/A	\$59,900	Applicator head included. 12 x 25 mm treatment area. Three year warranty.
eLight SRA	Optical Energy / RF Electrical Energy	470 nm – 980 nm	Up to 45 J/cm ² / Up to 25 J/cm ³	N/A	\$59,900	Same as above.
eLaser WRA	Diode / RF Electrical Energy	900 nm	Up to 50 J/cm ² / Up to 100 J/cm ³	N/A	\$75,900	Applicator head included. 12 x 8 mm treatment area. Three year warranty.

Note: Data subject to change; please refer to Company Directory for supplier contact information.